




MADE IN MICHIGAN

SAYLOR-BEALL

- AIR COMPRESSORS -

ENGINE DRIVEN AIR COMPRESSORS



saylor-beall.com

ENGINE DRIVEN AIR COMPRESSORS



UL-753-14

GAS ENGINE

- Kohler engine standard
- For use where electricity is unavailable
- Fuel efficient engine idle control
- Compact design
- Electric or Pull Start
- Honda engine option available
- Regional specifications available

*14HP Kohler / 13HP Honda

DIESEL ENGINE

- Alternative to gas engine
- Fuel efficient and compact design
- Available with 10, 14 and 30 HP diesel engines



UL-753-DI-Y



P5900 Package

ENGINEERED APPLICATIONS

We specialize in developing engineered applications to provide the perfect solution to your compressed air needs. These include but are not limited to:

- Customized layouts
- Specialized paint options
- Please consult factory for LP, NG and diesel engine options

ENGINE DRIVEN COMPRESSOR SPECIFICATIONS

TWO STAGE - KOHLER GASOLINE ENGINE - ASME HORIZONTAL

ENGINE HP	SPLASH LUBRICATED MODEL	SPLASH LUBRICATED PUMP	PRESSURE LUBRICATED MODEL	PRESSURE LUBRICATED PUMP	TANK CAPACITY (Gallons)	140PSI RATING			DIMENSIONS L x W x H (Inches)	BOLT DOWN L x W (Inches)	APPROX. SHIPPING WT. (Lbs.)
						RPM	CFM DISPL.	CFM DELVD.			
14	UL-753-14	705	UL-PL-753-14	PL-705	30	900	24.8	18.8	45 x 19 x 43	28 x 13 7/8	543
14	UL-750-14	705	UL-PL-750-14	PL-705	60	900	24.8	18.8	55 x 21 x 45	28 x 19	636
14	UL-758-14	705	UL-PL-758-14	PL-705	80	900	24.8	18.8	66 x 21 x 48	40 x 19	686
18	UL-763	707	UL-PL-763	PL-707	30	925	50	38.4	52 x 30 x 50	28 x 13 7/8	792
18	UL-764	707	UL-PL-764	PL-707	60	925	50	38.4	58 x 30 x 50	28 x 19	883
25	452512GC	4500	PL-452512GC	PL-4500	120	806	61.8	49.5	69 x 29 x 58	40 x 19	1205

TWO STAGE - KOHLER GASOLINE ENGINE - BASE MOUNTED

ENGINE HP	SPLASH LUBRICATED MODEL	SPLASH LUBRICATED PUMP	PRESSURE LUBRICATED MODEL	PRESSURE LUBRICATED PUMP	TANK CAPACITY (Gallons)	140PSI RATING			DIMENSIONS L x W x H (Inches)	BOLT DOWN L x W (Inches)	APPROX. SHIPPING WT. (Lbs.)
						RPM	CFM DISPL.	CFM DELVD.			
14	ULB-705-G	705	PL-ULB-705-G	PL-705	30	900	24.8	18.8	36 x 24 x 32	24.5 x 32	467
18	ULB-707-G	707	PL-ULB-707-G	PL-707	60	925	50	38.4	50 x 24 x 34	40 x 16.5	727
25	B4525GC	4500	PL-B4525GC	PL-4500	120	806	61.8	49.5	50 x 26 x 34	40 x 20.5	952

TWO STAGE - GASOLINE ENGINE - ASME HORIZONTAL

ENGINE HP	SPLASH LUBRICATED MODEL	SPLASH LUBRICATED PUMP	PRESSURE LUBRICATED MODEL	PRESSURE LUBRICATED PUMP	TANK CAPACITY (Gallons)	140PSI RATING			DIMENSIONS L x W x H (Inches)	BOLT DOWN L x W (Inches)	APPROX. SHIPPING WT. (Lbs.)
						RPM	CFM DISPL.	CFM DELVD.			
37	93720GC	UL-9000	PL-93720GC	UL-PL-9000	120	780	121.1	100	69 x 29 x 58	40 x 19	1275

ENGINE OPTIONS

Honda Engine Models

ENGINE HP	SPLASH LUBRICATED MODEL	SPLASH LUBRICATED PUMP	PRESSURE LUBRICATED MODEL	PRESSURE LUBRICATED PUMP	TANK CAPACITY (Gallons)
13	UL-743-H	705	UL-PL-743-H	PL-705	30
13	UL-740-H	705	UL-PL-740-H	PL-705	60
13	UL-748-H	705	UL-PL-748-H	PL-705	80
18	UL-763-H	707	UL-PL-763-H	PL-707	30
18	UL-764-H	707	UL-PL-764-H	PL-707	60
18	UL-765-H	707	UL-PL-765-H	PL-707	80
25	B4525GC-H	4500	PL-B4525GC-H	PL-4500	120

Yanmar Diesel Engine Models

ENGINE HP	SPLASH LUBRICATED MODEL	SPLASH LUBRICATED PUMP	PRESSURE LUBRICATED MODEL	PRESSURE LUBRICATED PUMP	TANK CAPACITY (Gallons)
9.3	UL-753-DI-Y	705	UL-PL-753-DI-Y	PL-705	30
9.3	UL-750-DI-Y	705	UL-PL-750-DI-Y	PL-705	60
9.3	UL-758-DI-Y	705	UL-PL-758-DI-Y	PL-705	80

Hatz Diesel Engine Models

ENGINE HP	SPLASH LUBRICATED MODEL	SPLASH LUBRICATED PUMP	PRESSURE LUBRICATED MODEL	PRESSURE LUBRICATED PUMP	TANK CAPACITY (Gallons)
14	UL-763-DI	707	UL-PL-763-DI	PL-707	30
14	UL-764-DI	707	UL-PL-764-DI	PL-707	60
14	UL-765-DI	707	UL-PL-765-DI	PL-707	80

Use specifications from the similar models above. All models are available in base mount configuration.

Since 1915, Saylor-Beall has specialized in manufacturing industrial-grade, two-stage air compressors known for their durability and performance.

We stand out with our high-quality designs, custom applications, and a commitment to fast, reliable order fulfillment. Whether you need a standard solution or a custom-engineered design, Saylor-Beall is your go-to source for air compressors built to handle even the most rugged environments.

SAYLOR-BEALL

-AIR COMPRESSORS-

SAYLOR-BEALL

-AIR COMPRESSORS-



Saylor-Beall Manufacturing Co. / 400 N. Kibbee St. / St. Johns, MI 48879

www.saylor-beall.com

SAYLOR-BEALL Manufacturing Company warrants its compressors and parts when properly installed, lubricated and maintained as recommended and in accordance with good industry practice to be free from defects in material and workmanship under normal use and service. The responsibility of the Company under this warranty is limited to repair or replacement at the Company's factory, any compressor or part thereof, which shall, within one year after date of shipment to the original purchaser, be returned to the Company and which, upon examination, shall be found defective to the satisfaction of the Company. This warranty shall not apply to compressors or parts which have been subjected to misapplication, misuse, negligence or accident, to compressors or parts which have been repaired or tampered with outside the Company's factory when in the judgment of the Company, it appears that the reliability or stability of the compressor or part has been effected. Ordinary maintenance, such as adjustment and cleaning of equipment or components is the responsibility of the owner. All transportation and shipping charges shall be paid by purchaser. This warranty does not apply to electric motors or gasoline engines. These are covered by the Original Manufacturer's Warranty and should be returned by the purchaser to their authorized station for service. This warranty is expressly in lieu of all other warranties (except of title) expressed or implied and of any other obligations or liability on the part of the Company. There are no warranties of merchantability or of fitness for a particular purpose.